

## WHEELS

### Combination Flap Wheels – Arbour Mount

#### AO RBX Cloth / VFHS or HD Non-Woven

Weld blending, satinising, deburring and scratch removal. Metal, wood and other surfaces  
Excellent utility wheel on stainless steel for #4 finish



Part Number	Size (mm)	Grit	Description	Std Pack
	Diameter x Width		VFHS = Very fine high strength	
W50AF10025	100 x 25	100*/F	AO X / VFHS	1
W50AC10025	100 x 25	100*/C	AO X / Heavy Duty (HD)	1
W50AF10050	100 x 50	100*/F	AO X / VFHS	1
W50AC10050	100 x 50	100*/C	AO X / HD	1
W50AF15025	150 x 25	100*/F	AO X / VFHS	1
W50AC15025	150 x 25	100*/C	AO X / HD	1
W50AF15050	150 x 50	100*/F	AO X / VFHS	1
W50AC15050	150 x 50	100*/C	AO X / HD	1

\*Stock wheels 100 grit only. Other grits made to order – price on request  
Custom sizes made to order – price on request.

## WHEELS

### Non-Woven Flap Wheels – Arbour Mount

Light cleaning and fine satin finish. Metal wood and other surfaces



Part Number	Size (mm)	Grit	Description	Std Pack
	Diameter x Width			
W51VF10025	100 x 25	V/Fine	Very Fine High Strength (VFHS)	1
W51VF10050	100 x 50	V/Fine	VFHS	1
W51VF15025	150 x 25	V/Fine	VFHS	1
W51M15025	150 x 25	Medium	Medium High Strength (MHS)	1
W51C15025	150 x 25	Coarse	HD Cut & Polish	1
W51VF15050	150 x 50	V/Fine	Very Fine VFHS	1
W51M15050	150 x 50	Medium	MHS	1
W51C15050	150 x 50	Coarse	HD Cut & Polish	1

Custom sizes made to order – price on request.

## WHEELS

### Combination Flap Wheels – Spindle Mount

#### AO RBX Cloth / VFHS or HD Non-Woven

Weld blending, satinising, deburring and scratch removal. Metal, wood and other surfaces  
Excellent utility wheel on stainless steel for #4 finish



Part Number	Size (mm)	Grit	Description	Std Pack
	Dia x W x Shank		VFHS = Very fine high strength	
W52AF30256	30 x 25 x 6	100*/F	AO X / VFHS	1
W52AF40256	40 x 25 x 6	100*/F	AO X / VFHS	1
W52AC40256	40 x 25 x 6	100*/C	AO X / Heavy Duty (HD)	1

\*Stock wheels 100 grit only. Other grits made to order (same prices, minimum order 6 units). Custom sizes made to order.

## WHEELS

### Combination Flap Wheels – Spindle Mount (cont...) AO RBX Cloth / VFHS or HD Non-Woven

Weld blending, satinising, deburring and scratch removal. Metal, wood and other surfaces  
Excellent utility wheel on stainless steel for #4 finish



Part Number	Size (mm) Dia x W x Shank	Grit	Description	Std Pack
W52AF4040B	40 x 40 x 6	100*/F	Radius End Bowl Wheel	1
W52AF50256	50 x 25 x 6	100*/F	AO X / VFHD	1
W52AC50256	50 x 25 x 6	100*/C	AO X / HD	1
W52AF50406	50 x 40 x 6	100*/ F	AO X / VFHS	1
W52AC50406	50 x 40 x 6	100*/ C	AO X / HD	1
W52AR50406	50 x 40 x 6	100*/ F	AO X / VFHS Rebate Combi	1
W52AF60406	60 x 40 x 6	100*/F	AO X / VFHS	1
W52AC60406	60 x 40 x 6	100*/C	AO X / HD	1
W52AF60506	60 x 50 x 6	100*/F	AO X / VFHS	1
W52AF75506	75 x 50 x 6	100*/F	AO X / VFHS	1

Stock wheels 100 grit only. Other grits made to order (same prices, minimum order 6 units).  
Custom sizes made to order Price on request.

## WHEELS

### Non-Woven Flap Wheels – Spindle Mount

Light cleaning and fine satin finish. Metal wood and other surfaces



Part Number	Size (mm) Dia x W x Shank	Grit	Description	Std Pack
			VFHS = Very fine high strength	
W53VF50406	50 x 40 x 6	V/Fine	VFHS	1
W53M50406	50 x 40 x 6	Medium	Medium High Strength (MHS)	
W53C50406	50 x 40 x 6	Coarse	HD Cut & Polish	1
W53VF60406	60 x 40 x 6	V/Fine	VFHS	1
W53M60406	60 x 40 x 6	Medium	MHS	1
V53C60406	60 x 40 x 6	Coarse	HD Cut & Polish	1
W53VF60506	60 x 50 x 6	V/Fine	Very Fine VFHS	1
W53M60506	60 x 50 x 6	Medium	MHS	1
W53C60506	60 x 50 x 6	Coarse	HD Cut & Polish	1
W53VF75406	75 x 40 x 6	V/Fine	VFHS	1
W53M75406	75 x 40 x 6	Medium	MHS	1
W53C75406	75 x 40 x 6	Coarse	HD Cut & Polish	1
W53VF75506	75 x 50 x 6	V/Fine	VFHS	1
W53M75506	75 x 50 x 6	Medium	MHS	1
W53C75506	75 x 50 x 6	Coarse	HD C&P	1

Stock wheels 100 grit only. Other grits made to order (same prices, minimum order 6 units).  
Custom sizes made to order – prices on request.

## WHEELS

### AO RBX Flap Wheels – M14 x 2 Centre For 125mm Angle Grinders only! (guard clearance)

Designed to fit angle grinders for flexible use. Light stock removal and graining metal surfaces.



Part Number	Size (mm)	Grit	Description	Std Pack
	Diameter x Width			
W55040115M	115 x 20 x M14	40	AO M14 x 2 F/Wheel	1
W55060115M	115 x 20 x M14	60	AO M14 x 2 F/Wheel	1
W55080115M	115 x 20 x M14	80	AO M14 x 2 F/Wheel	1
W55100115M	115 x 20 x M14	100	AO M14 x 2 F/Wheel	1
W55120115M	115 x 20 x M14	120	AO M14 x 2 F/Wheel	1

Custom sizes and grits made to order. Prices on request

## WHEELS

### AO RBX Flap Wheels – Arbour Mount

Light stock removal and graining metal surfaces



Part Number	Size (mm)	Grit	Description	Std Pack
	Diameter x Width			
W5604010025	100 x 25	40	AO RBX Flap Wheel	1
W5606010025	100 x 25	60	AO RBX Flap Wheel	1
W5608010025	100 x 25	80	AO RBX Flap Wheel	1
W5610010025	100 x 25	100	AO RBX Flap Wheel	1
W5612010025	100 x 25	120	AO RBX Flap Wheel	1
W5604010050	100 x 50	40	AO RBX Flap Wheel	1
W5606010050	100 x 50	60	AO RBX Flap Wheel	1
W5608010050	100 x 50	80	AO RBX Flap Wheel	1
W5610010050	100 x 50	100	AO RBX Flap Wheel	1
W5612010050	100 x 50	120	AO RBX Flap Wheel	1
W5604016512	165 x 12	40	AO RBX Flap Wheel	1
W5606016512	165 x 12	60	AO RBX Flap Wheel	1
W5608016512	165 x 12	80	AO RBX Flap Wheel	1
W5610016512	165 x 12	100	AO RBX Flap Wheel	1
W5612016512	165 x 12	120	AO RBX Flap Wheel	1
W5604016515	165 x 15	40	AO RBX Flap Wheel	1
W5606016515	165 x 15	60	AO RBX Flap Wheel	1
W5608016515	165 x 15	80	AO RBX Flap Wheel	1
W5610016515	165 x 15	100	AO RBX Flap Wheel	1
W5612016515	165 x 15	120	AO RBX Flap Wheel	1
W5604016520	165 x 20	40	AO RBX Flap Wheel	1
W5606016520	165 x 20	60	AO RBX Flap Wheel	1
W5608016520	165 x 20	80	AO RBX Flap Wheel	1
W5610016520	165 x 20	100	AO RBX Flap Wheel	1
W5612016520	165 x 20	120	AO RBX Flap Wheel	1
W5604016525	165 x 25	40	AO RBX Flap Wheel	1
W5606016525	165 x 25	60	AO RBX Flap Wheel	1
W5608016525	165 x 25	80	AO RBX Flap Wheel	1
W5610016525	165 x 25	100	AO RBX Flap Wheel	1
W5612016525	165 x 25	120	AO RBX Flap Wheel	1

Page: W3

## WHEELS

### AO RBX Flap Wheels – Arbour Mount (cont...)

Light stock removal and graining metal surfaces



Part Number	Size (mm)	Grit	Description	Std Pack
	Diameter x Width			
W5604016550	165 x 50	40	AO RBX Flap Wheel	1
W5606016550	165 x 50	60	AO RBX Flap Wheel	1
W5608016550	165 x 50	80	AO RBX Flap Wheel	1
W5610016550	165 x 50	100	AO RBX Flap Wheel	1
W5612016550	165 x 50	120	AO RBX Flap Wheel	1

Custom sizes and grits made to order. Prices on request

## WHEELS

### AO RBX Pleated Wheels – Arbour Mount

Straight or angle lower speed sanders. Light stock removal on corners and angled work sections. Designed for light to medium stock removal of mill scale or welds without undercutting work piece. The wheel runs smoothly - thin outer edge does cutting.



Part Number	Size (mm)	Grit	Description	Std Pack
	Diameter x Width			
W60P060165	165 x 6	60	AO RBX Pleated	1
W60P080165	165 x 6	80	AO RBX Pleated	1
W60P100165	165 x 6	100	AO RBX Pleated	1
W60P120165	165 x 6	120	AO RBX Pleated	1

Custom sizes and grits made to order. Prices on request

## WHEELS

### Stripper Wheel – Arbour Mount

Long life wheel. General cleaning - removes weld burns, rust and paint. Flap segment construction stops large tears from snagging on an edge.



Part Number	Size (mm)	Grit	Description	Std Pack
	Diameter x Width			
W65ST15025	150 x 25	Coarse	3M C&S Stripper	1
W65ST15050	150 x 50	Coarse	3M C&S Stripper	1

## WHEELS

### Corrugated Wheel – Arbour Mount

Straight or angle lower speed sanders. Designed for blending, uniform grain or satin finish on stainless steel and aluminium



Part Number	Size (mm)	Grit	Description	Std Pack
	Diameter x Width			
W70CF15050	150 x 50	V/Fine	VFHS Corrugated	1
W70CC15050	150 x 50	Coarse	HD C&P Corrugated	1
W7008015050	150 x 50	80/C	80/HD Combi Corrugated	1
W7010015050	150 x 50	100/C	100/HD Combi Corrugated	1
W70CF18050	180 x 50	V/Fine	VFHS Corrugated	1
W70CC18050	180 x 50	Coarse	HD C&P Corrugated	1

## WHEELS

### Corrugated Wheel – Spindle Mount

Straight or angle lower speed sanders. Designed for blending, uniform grain or satin finish on stainless steel and aluminium



Part Number	Size (mm)	Grit	Description	Std Pack
	Dia x W x Shank			
W71CF60256	60 x 25 x 6	V/Fine	VFHS Corrugated	1
W71CC60256	60 x 25 x 6	Coarse	HD C&P Corrugated	1

## WHEELS

### 3M Convolute Wheels

Deburring and satin finishing stainless steel



3M range of convolute wheels

Size: 150mm x 25mm x 25.4mm 150mm x 50mm x 25.4mm

Grades: Medium multi-finish, Fine 7S 8S 9S

Price and availability on request

## WHEELS

### 19mm Bore Keyway Drive Wheels

Deburring and satin finishing flat surface stainless steel.



Part Number	Size (mm)	Grit	Description	Std Pack
	Diameter x Width			
W72K060C100	100 x 100	60	AO RBX Keyway	1
W72K080C100	100 x 100	80	AO RBX Keyway	1
W72K100C100	100 x 100	100	AO RBX Keyway	1
W72K120C100	100 x 100	120	AO RBX Keyway	1
W71HSF100	100 x 100	Fine	High Strength VFN	1
W71HSM100	100 x 100	Medium	High Strength Med	1
W71HSC100	100 x 100	Coarse	Cut & Polish Coarse	1
W73KF100100	100 x 100	100/F	AO X / VFHS Keyway	1
W73KC100100	100 x 100	100/C	AO X / VFHS Keyway	1
W74CS100	100 x 100	Coarse	C&S Stripper Keyway	1

## WHEELS

### Sand 2 Polish Keyway Drive System

Deburring and satin finishing flat surface stainless steel. Designed for keyway attachment on low speed angle sanders.



**NEW PRODUCT:** Discon design 130mm x 75mm wheel with unique drive system. This wheel will fit specialized 125mm low speed angle sanders (800-2500rpm). The advantage is S2P's ability to fit 180mm sander polishers (Hitachi SP18VA variable speed). Recommended speed 2000 – 3000 rpm – better finish, longer life and no burn marks. These sanders are cheaper and more common for purchase and service. Just turn the gearbox 90 degrees and its ready to use. Features: Larger diameter generates less “bounce” and clears gearbox for more life and easier access to recessed work. Narrower width for ease of use and recessed locking screw to get closer to opposing work face.

Large selection of wheel designs to choose from for best results in each application

Part Number	Size (mm)	Grit	Description	Std Pack
	Diameter x Width			
W75C100130	130 x 75	100/C	S2P Wheel AO X / HD	1
W75F100130	130 x 75	100/F	S2P Wheel AO X / VFHS	1
W75F150130	130 x 75	150/F	S2P Wheel AO J / VFHS	1
W75F240130	130 x 75	240/F	S2P Wheel AO J / VFHS	1
W75HSF130	130 x 75	V/Fine	S2P Wheel VFHS	1
W75HSM130	130 x 75	Medium	S2P Wheel MHS	1
W76C080130	130 x 75	80/C	S2P Corrugated 80Mesh / HD	1
W76C100130	130 x 75	100/C	S2P Corrugated 100Mesh / HD	1
W76CHD130	130 x 75	Coarse	S2P Corrugated HD	1
W77STB130	130 x 75	Coarse	S2P Wheel Stripper Black	1
W77STP130	130 x 75	Extra Coarse	S2P Wheel Stripper Purple	1
W78A060130	130 x 75	60	S2P AO RBX	1
W78A080130	130 x 75	80	S2P AO RBX	1
W78A100130	130 x 75	100	S2P AO RBX	1
W78A120130	130 x 75	120	S2P AO RBX	1

## WHEELS

### Multi-Ply Buff Wheels – Arbour Mount

Very flexible wheel for light cleaning and finishing



Part Number	Size (mm)	Grit	Description	Std Pack
	Diameter x Width			
W85BF15050	150 x 50	V/Fine	5 Ply AO Buff VFHS	1
W85BF20050	200 x 50	V/Fine	5 Ply AO Buff VFHS	1

## WHEELS

### Flogger Flap Wheels – About Mount

Slashed flaps for contour finishing metal, wood and other surfaces



Part Number	Size (mm)	Grit	Description	Std Pack
	Diameter x Width			
W54060150F	150 x 40	60/F	AO J Flogger	1
W54080150F	150 x 40	80/F	AO J Flogger	1
W54100150F	150 x 40	100/F	AO J Flogger	1
W54120150F	150 x 40	120/F	AO J Flogger	1

## WHEELS

### Flexigrind Flap Wheels – AO RBX

Deburring and grain finishing inside tube and contour areas



**New product designed by DISCON for tube and recessed applications. Tangential angled flaps creates more grain contact for better cut and longer life**

Part Number	Size (mm)	Grit	Description	Std Pack
	Dia x W x Shank			
W550603525	35 x 25 x 6	60	AO RBX Flexigrind	5
W550803525	35 x 25 x 6	80	AO RBX Flexigrind	5
W551003525	35 x 25 x 6	100	AO RBX Flexigrind	5
W551203525	35 x 25 x 6	120	AO RBX Flexigrind	5
W550604525	45 x 25 x 6	60	AO RBX Flexigrind	5
W550804525	45 x 25 x 6	80	AO RBX Flexigrind	5
W551004525	45 x 25 x 6	100	AO RBX Flexigrind	5
W551204525	45 x 25 x 6	120	AO RBX Flexigrind	5

Other sizes/grits available on request

## WHEELS

### Flexigrind Flap Wheels – Surface Conditioning

Deburring and grain finishing inside tube, channels and base of auger blades etc



**New product designed by DISCON for tube and recessed applications. Tangential angled flaps. More uniform finish for life of product compared to gritted mops.**

Part Number	Size (mm)	Grit	Description	Std Pack
	Diam x W x Shank			
W56SCF5025	50 x 25 x 6	Fine	S/Cond Flexigrind	5
W56SCM5025	50 x 25 x 6	Medium	S/Cond Flexigrind	5
W56SCC5025	50 x 25 x 6	Coarse	S/Cond Flexigrind	5
W56SCF6025	60 x 25 x 6	Fine	S/Cond Flexigrind	5
W56SCM6025	60 x 25 x 6	Medium	S/Cond Flexigrind	5
W56SCC6025	60 x 25 x 6	Coarse	S/Cond Flexigrind	5
	Diameter x Width			
W56SCF15025	150 x 25	Fine	S/Cond Flexigrind	1
W56SCM15025	150 x 25	Medium	S/Cond Flexigrind	1
W56SCC15025	150 x 25	Coarse	S/Cond Flexigrind	1
W56SCF20025	200 x 25	Fine	S/Cond Flexigrind	1
W56SCM20025	200 x 25	Medium	S/Cond Flexigrind	1
W56SCC20025	200 x 25	Coarse	S/Cond Flexigrind	1
W56SCF25025	250 x 25	Fine	S/Cond Flexigrind	1
W56SCM25025	250 x 25	Medium	S/Cond Flexigrind	1
W56SCC25025	250 x 25	Coarse	S/Cond Flexigrind	1
W56SCF30025	300 x 25	Fine	S/Cond Flexigrind	1
W56SCM30025	300 x 25	Medium	S/Cond Flexigrind	1
W56SCC30025	300 x 25	Coarse	S/Cond Flexigrind	1

## WHEELS

### Clean & Strip Washered / 2 Ply

Remove weld burns, rust, paint and for general cleaning



Part Number	Size (mm) Diameter x Width	Grit	Description	Std Pack	Price each
W57WB15012	150 x 12	Coarse	C&S Washered Black	1	
W57WB1502P	150 x 24	Coarse	C&S Ganged 2 Ply Black	1	
W57WP15012	150 x 12	Coarse H/Duty	C&S Washered Purple	1	
W57WB17812	178 x 12	Coarse	C&S Washered Black	1	
W57WB1782P	178 x 24	Coarse	C&S Ganged 2 Ply Black	1	
W57WP17812	178 x 12	Coarse H/Duty	C&S Washered Purple	1	
W57WB20012	200 x 12	Coarse	C&S Washered Black	1	
W57WB2002P	200 x 24	Coarse	C&S Ganged 2 Ply Black	1	
W57WP20012	200 x 12	Coarse H/Duty	C&S Washered Purple	1	

## WHEELS

### Custom Made Wheels

Any non-standard wheel made to order



WCUSTOM +Spec	Specification: Material(s) Diameter x Width x Centre Hole Grit or grade Eg: WCUSTOM 3M HD Cut & Polish 300mm x 150mm x 40mm Coarse
------------------	---

## WHEELS UNITIZED



### Unitized Spindle Mount Wheels

U10AR5036	50mm x 3mm x 6mm (spindle)	Red Removal
U10AB5036	50mm x 3mm x 6mm	Grey Deburring
U10AF5036	50mm x 3mm x 6mm	Blue Blending
U10AP5036	50mm x 3mm x 6mm	Green Polishing
U10AR5066	50mm x 6mm x 6mm	Red
U10AB5066	50mm x 6mm x 6mm	Grey
U10AF5066	50mm x 6mm x 6mm	Blue
U10AP5066	50mm x 6mm x 6mm	Green
U10AR60126	60mm x 12mm x 6mm	Red
U10AB60126	60mm x 12mm x 6mm	Blue



### Unitized Spindle Mount Wheels (cont..)



U10AR7536	75mm x 3mm x 6mm	Red
U10AB7536	75mm x 3mm x 6mm	Grey
U10AF7536	75mm x 3mm x 6mm	Blue
U10AP7536	75mm x 3mm x 6mm	Green
U10AR7566	75mm x 6mm x 6mm	Red
U10AB7566	75mm x 6mm x 6mm	Grey
U10AF7566	75mm x 6mm x 6mm	Blue
U10AP7566	75mm x 6mm x 6mm	Green

### Unitized Quick Change Discs



U20QAR506	50mm x 6mm	Red
U20QAB506	50mm x 6mm	Grey
U20QAF506	50mm x 6mm	Blue
U20QAP506	50mm x 6mm	Green
U20QAR756	75mm x 6mm	Red
U20QAB756	75mm x 6mm	Grey
U20QAF756	75mm x 6mm	Blue
U20QAP756	75mm x 6mm	Green

### Unitized Depressed Centre Discs



U30DCR11512	115mm x 12mm x 22mm	Red
U30DCB11512	115mm x 12mm x 22mm	Grey

### Unitized Wheels



U40WR150310	150mm x 3mm x 10mm	Red
U40WB150310	150mm x 3mm x 10mm	Grey
U40WF150310	150mm x 3mm x 10mm	Blue
U40WP150310	150mm x 3mm x 10mm	Green
U40WR150325	150mm x 3mm x 25.4mm	Red
U40WB150325	150mm x 3mm x 25.4mm	Grey
U40WF150325	150mm x 3mm x 25.4mm	Blue
U40WP150325	150mm x 3mm x 25.4mm	Green
U40WR150610	150mm x 6mm x 10mm	Red
U40WB150610	150mm x 6mm x 10mm	Grey
U40WF150610	150mm x 6mm x 10mm	Blue
U40WP150610	150mm x 6mm x 10mm	Green
U40WR150625	150mm x 6mm x 25.4mm	Red
U40WB150625	150mm x 6mm x 25.4mm	Grey
U40WF150625	150mm x 6mm x 25.4mm	Blue
U40WP150625	150mm x 6mm x 25.4mm	Green
U40WR200610	200mm x 6mm x 10mm	Red
U40WB200610	200mm x 6mm x 10mm	Grey
U40WF200610	200mm x 6mm x 10mm	Blue
U40WP200610	200mm x 6mm x 10mm	Green